


F_{1P}	Polytropic End Force Değişken Sic. Kuvvet
V₀	Initial Gas Volume Başlangıç Hacmi
F₀	Initial Force Başlangıç Kuvveti
F_{1I}	Isothermal End Force Sabit Sic. Kuvvet

KOD(CODE)	St (mm)	L (mm)	Lmin (mm)	F ₀ ±%5 (daN)	F _{1I} (daN)	F _{1P} (daN)	V ₀ (cm ³)	 (Kg)
MH 01000-013	13	120,7	107,7	920 2068 ± 5% 150 bar 2175 psi + 20 °C	1201	1371	40	1,21
MH 01000-025	25	145	120		1324	1559	59	1,32
MH 01000-038	38	171	133		1405	1687	79	1,43
MH 01000-050	50	195	145		1455	1767	97	1,53
MH 01000-063	63	221	158		1493	1830	117	1,64
MH 01000-075	75	245	170		1520	1873	135	1,74
MH 01000-080	80	255	175		1529	1888	143	1,78
MH 01000-100	100	295	195		1559	1937	173	1,96
MH 01000-125	125	345	220		1585	1979	211	2,17
MH 01000-150	150	395	245		1603	2010	249	2,38
MH 01000-160	160	415	255		1609	2020	264	2,46
MH 01000-175	175	445	270		1617	2033	287	2,59
MH 01000-200	200	495	295		1627	2051	325	2,79
MH 01000-250	250	595	345		1643	2077	401	3,21
MH 01000-300	300	695	395		1654	2095	477	3,63

Teknik bilgiler için
37,38,39
sayfalarına bakınız.

SİPARİŞ KODU
(ORDER CODE)



MK

MK50



MQ

MQ50



MKC

MKC50