




F _{1P}	Polytropic End Force Değişken Sic. Kuvvet
V ₀	Initial Gas Volume Başlangıç Hacmi
F ₀	Initial Force Başlangıç Kuvveti
F _{1I}	Isothermal End Force Sabit Sic. Kuvvet

KOD(CODE)	St (mm)	L (mm)	Lmin (mm)	F ₀ ±5% (daN)	F _{1I} (daN)	F _{1P} (daN)	V ₀ (cm ³)	 (Kg)
MH 01500-013	13	120,7	107,7	1530 3440 ± 5% 150 bar 2175 psi + 20 °C	1982	2260	67	1,98
MH 01500-025	25	145	120		2177	2560	99	2,13
MH 01500-038	38	171	133		2306	2762	132	2,29
MH 01500-050	50	195	145		2383	2887	163	2,44
MH 01500-063	63	221	158		2443	2983	197	2,60
MH 01500-075	75	245	170		2484	3050	227	2,75
MH 01500-080	80	255	175		2499	3074	240	2,81
MH 01500-100	100	295	195		2544	3148	292	3,03
MH 01500-125	125	345	220		2584	3214	356	3,34
MH 01500-150	150	395	245		2612	3260	420	3,64
MH 01500-160	160	415	255		2621	3275	446	3,77
MH 01500-175	175	445	270		2633	3295	485	3,95
MH 01500-200	200	495	295		2650	3322	549	4,26
MH 01500-250	250	595	345		2722	3443	661	4,99
MH 01500-300	300	695	395		2804	3582	764	5,81

Teknik bilgiler için
37,38,39
sayfalarına bakınız.

SİPARİŞ KODU
(ORDER CODE)



MK
MK63



MQ
MQ63



MKC
MKC63