






F_{1p}	Polytropic End Force Değişken Sic. Kuvvet
V₀	Initial Gas Volume Başlangıç Hacmi
F₀	Initial Force Başlangıç Kuvveti
F_{1i}	Isothermal End Force Sabit Sic. Kuvvet

KOD(CODE)	St (mm)	L (mm)	Lmin (mm)	F ₀ ±5% (daN)	F _{1i} (daN)	F _{1p} (daN)	V ₀ (cm ³)	 (Kg)
MH 02400-025	25	160	135	2385 5362 ± 5% 150 bar 2175 psi + 20 °C	3282	3814	169	3,34
MH 02400-038	38	186	148		3495	4146	220	3,55
MH 02400-050	50	210	160		3632	4363	267	3,75
MH 02400-063	63	236	173		3741	4537	318	3,96
MH 02400-075	75	260	185		3818	4662	366	4,15
MH 02400-080	80	270	190		3845	4706	385	4,23
MH 02400-100	100	310	210		3933	4850	464	4,51
MH 02400-125	125	360	235		4012	4979	562	4,91
MH 02400-150	150	410	260		4068	5072	660	5,32
MH 02400-160	160	430	270		4087	5103	699	5,49
MH 02400-175	175	460	285		4111	5144	758	5,73
MH 02400-200	200	510	310		4145	5200	856	6,14
MH 02400-250	250	610	360		4195	5283	1053	6,95
MH 02400-275	275	660	385		4214	5314	1151	7,36
MH 02400-300	300	710	410		4230	5341	1249	7,77

Teknik bilgiler için
37,38,39
sayfalarına bakınız.

SİPARİŞ KODU
(ORDER CODE)



MK
MK75



MQ
MQ75



MKC
MKC75